Data sheet

HP Color LaserJet Enterprise flow M880 Multifunction Printer series



Streamline and accelerate workflows across your business with a top-of-the-line enterprise MFP.

This top-of-the-line enterprise MFP helps streamline workflows and accelerate document tasks—with advanced finishing options and file sharing. Give users simple, direct access to this MFP through mobile printing and touch-to-print capabilities.



HP Color LaserJet Enterprise flow M880z Multifunction Printer



HP Color LaserJet Enterprise flow M880z+ NFC/Wireless Direct MFP Printer

Give workgroups the speed they need

- Let departments scan without worry. HP EveryPage detects potential errors or missed pages on the spot.
- Manage content in a way you never thought possible with HP Flow CM Enterprise.²
- Forget email. Let employees scan and send documents to Microsoft® SharePoint® in one step.
- Make it easy to be efficient with an intuitive touchscreen and large pull-out keyboard.

Keep business moving

- Save on both sides—capture documents faster with two-sided, single-pass scanning.
- Create easily searchable scanned files, using built-in optical character recognition software.
- Save IT time and make printing easy for the entire company by using a single driver for all HP devices.3
- Let employees bind big jobs faster using the built-in finishing options.5

Mobile printing—more efficient

- Mobile printing at a touch—enable touch-to-print convenience from mobile devices.
- Let employees print from mobile devices with built-in print capability or HP ePrint app and software.6
- Give users the power to print wirelessly from an iPad®, iPhone®, or iPod touch®.4

Invest once, expand easily, and manage efficiently

- Expand your options. Easily upgrade firmware on your schedule. Easily integrate solutions or devices at will.
- Help build business efficiency. Centrally monitor and control printers with HP Web Jetadmin.
- Apply fleet-wide policies to help protect your HP devices with HP Imaging and Printing Security Center.8
- Confidently safeguard the sensitive data sent to your MFP with the HP High-Performance Secure Hard Disk.

¹ Touch-to-print capability is standard in the HP Color Laser Jet Enterprise flow MFP M880z + D7P71A model, and may be added as an option to the HP Color Laser Jet Enterprise M880z + A2W75A and M880z A2W75A. Mobile device must support near-field communications-enabled printing, For a list of supported devices, see hp.com/go/mobileprinting ² HP Flow CM is not available in all tregions. Network connection is required to upload and download files. Additional software and licenses may be required. ³ The HP Universal Print Driver is free and available for download at hp.com/go/upd ⁴ Supports OS X Lion, OS X Mountain Lion, and the following devices running iOS 4.2 or later: iPad® (all models), iiPhone® (3GS or later), and iPod touch® (third generation or later). Works with HPS AiPrint-enabled printers and requires the printer be connected to the same network as your OS X or iOS device. Wireless performance is dependent on physical environment and distance from the access point. OS X, iPad, iPhone, and iPod touch are trademarks of Apple Inc., egistered in the United States and other countries. AirPrint® and the AirPrint logo are trademarks of Apple Inc., ⁵ Paper-handling options must be purchased separately, ⁶ Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to printer. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GHz operations only. Remote printing requires an Internet connection to an HP web-connected printer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details. ⁷ HP Web Jetadmin is free and available for download at hp.com/go/mobileprinting for more details. ⁷ HP Web Jetadmin is free and available for download at hp.com/go/

Product walkaround

- Intuitive 8-inch (20.3 cm) HP Easy Select pivoting color touchscreen control panel
- 2. 200-sheet automatic document feeder with single pass two-sided scanning, and HP EveryPage with ultrasonic double-feed detection
- 3. Home button (returns to home screen)
- 4. Plate glass color scanner handles sizes up to 11 x 17 in/A3
- 5. Easy-access USB port to save and print files directly
- 6. Hardware integration pocket for solution integration¹
- 7. 500-sheet output bin
- 8. Front door provides convenient access to HP toner cartridges and drums
- 9. Built-in automatic two-sided printing
- 10. Retractable keyboard for easy, accurate data entry
- 11. 100-sheet multipurpose tray 1 handles heavy custom media up to 58 lb bond (220 g/m²)
- 12. Right-side doors provide access to the fuser and for clearing jams
- 13. 500-sheet input tray supports media up to size 11×17 in/A3
- 14. 3,500-sheet high-capacity input tray supports media sizes letter/A4
- 15. HP Jetdirect Gigabit Ethernet print server
- 16. HP High-Performance Secure Hard Disk
- 17. Access port for optional Kensington-style lock
- 18. Hi-Speed USB 2.0 port (for connecting third-party devices)
- 19. Hi-Speed USB 2.0 printing port
- 20.800 MHz processor, 2.5 GB RAM
- 21. Foreign interface harness (for connecting external devices)
- 22. Two internal host USB 2.0 type ports for third party solutions
- 23. RJ-11 fax port

Model


Part number

500-sheet tray 2

3.500-sheet HCI

HP Color LaserJet Enterprise flow M880z+ NFC/Wireless Direct MFP Printer





Close-up of I/O ports

Series at a glance

100-sheet multipurpose tray 1

3 x 500 sheet input trays



A2W75A

Not available

Yes

Yes

Yes

ups I i i i i i i i i i i i i i i i i i i	
HP Color LaserJet Enterprise flow M880z	
Multifunction Printer	



Yes

Yes

D7P71A

Yes

Yes

Not available

HP Color LaserJet Enterprise flow M880z+

Touch-to-print, wireless direct mobile printing Optional

¹Solutions deployed through the hardware integration pocket may require additional purchase.

HP Services

Downtime can have serious consequences, so HP provides support beyond the standard warranty. You benefit from reduced risk, maximized uptime, predictable service delivery and no unbudgeted repair costs. HP Care Pack Services provide a comprehensive suite of protection services designed to keep HP hardware and software up and running so employees can stay productive.

Optimized Care (optimum performance and stability):

4 hour Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Standard Care (high level of uptime):

Next Business Day Onsite Support, Maintenance Kit Replacement Service, Installation with Network Configuration Service

Basic Care (minimum recommended support):

Next Business Day Onsite Support

For care pack availability visit: hp.com/go/cpc

Compatible with Windows® 10











Top features

Accelerate business workflows and easily connect users throughout your office. Share documents without delay, using flexible send-to options. Complete big jobs fast, thanks to versatile paper-handling tools.

Boost productivity and avoid delays. Employees can scan two-sided documents in one pass and add professional finishing touches with minimal effort.

Eliminate the wires and complications from mobile printing. Enable easy printing from smartphones, tablets, and laptops at work, home, or on the go. Give users simple access through wireless direct printing and touch-to-print technology.^{1,6}

Help protect your printer investment and manage printing across the enterprise. Easily upgrade and add capabilities as your needs change. Manage the printing fleet from a single location. Expect high efficiency for the long term.

Accessories A2W80A A2W84A C1N63A F5S62A J8029A	HP LaserJet Stapler/Stacker HP LaserJet Booklet Maker/Finisher with 2/3 hole punch HP LaserJet 3x500-sheet Paper Feeder and Stand HP Trusted Platform Module Accessory HP Jetdirect 2800w NFC/Wireless Direct Accessory
Supplies	
C1N54A	HP LaserJet C1N54A 110V Maintenance Kit
C1N58A	HP LaserJet C1N58A 220V Maintenance Kit
C1P70A	HP LaserJet ADF Roller Replacement Kit
CF300A	HP 827A Black Original LaserJet Toner Cartridge
CF301A	HP 827A Cyan Original LaserJet Toner Cartridge
CF302A	HP 827A Yellow Original LaserJet Toner Cartridge
CF303A	HP 827A Magenta Original LaserJet Toner Cartridge
CF358A	HP 828A Black LaserJet Image Drum
CF359A	HP 828A Cyan LaserJet Image Drum
CF364A	HP 828A Yellow LaserJet Image Drum
CF365A	HP 828A Magenta LaserJet Image Drum
D7H14A	HP LaserJet D7H14A Transfer and Roller Kit

Services

HP Color LaserJet Enterprise flow M880 Multifunction Printer series

U8D23E - HP 3 year Nbd + DMR CLJ M880 MFP Support
U8D24E - HP 4 year Nbd + DMR CLJ M880 MFP Support
U8D25E - HP 5 year Nbd + DMR CLJ M880 MFP Support
U8D17E - HP 3 year 4h 9x5 CLJ M880 MFP HW Support
U8D19E - HP 4 year 4h 9x5 CLJ M880 MFP HW Support
U8D21E - HP 5 year 4h 9x5 CLJ M880 MFP HW Support
U8D42PE - HP 1 year PW Nbd + DMR CLJM 880 MFP Support
U8D40PE - HP 1 year PW 4h 9x5 CLJ M880 MFP Support

¹ Touch-to-print capability is standard in the HP Color Laser let Enterprise flow MFP M880z+ D7P71A model, and may be added as an option to the HP Color Laser let Enterprise M880z+ A2W76A and M880z A2W75A. Mobile device must support near-field communications-enabled printing. For a list of supported devices, see hp.com/go/mobileprinting ⁶ Local printing requires mobile device and printer to be on the same network or have a direct wireless connection to printer. Wireless performance is dependent on physical environment and distance from access point. Wireless operations are compatible with 2.4 GH operations only. Remote printing requires an Internet connection to an HP web-connected pointer. App or software and HP ePrint account registration may also be required. Wireless broadband use requires separately purchased service contract for mobile devices. Check with service provider for coverage and availability in your area. See hp.com/go/mobileprinting for more details.

Technical Specifications	HP Color LaserJet Enterprise flow M880z Multifunction Printer(A2W75A)	HP Color LaserJet Enterprise flow M880z+ NFC/Wireless Direct MFP Printer(D7P71A)	
AIO functions	· · · · · · · · · · · · · · · · · · ·	O multitasking supported: Yes	
Print speed	Letter: Up to 45 ppm black; Up to 45 ppm color? First Page Out Black: As fast as 11 sec; First Page Out Color: As fast as 11 sec		
Print resolution		O dpi; Color (best): Up to 1200 x 1200 dpi	
Print Technology		1200 dpi quality), 600 x 600 dpi; HP ProRes 1200 (1200 x 1200 dpi); Pantone@ Calibrated	
Print Cartridges Number	4 (1 each Cyan, Magenta, Yellow, Black)		
Standard Print Languages		postscript level 3 emulation, PDF	
Printer Smart Software Features			
Filiter Siliait Software reatures			
		job separator, staple, offset, booklet making, hole punch	
Printer Management		admin; HP Utility (Mac)	
Scan Type / Technology		ology: Charge Coupled Device (CCD)	
Scan Resolution	Hardware: Up to 600	x 600 dpi; Optical: Up to 600 dpi	
Scan File Format	Digital Send: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT	
	(OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCF	R), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)	
Scan Input Modes	Copy, scan-to-email, scan to n	etwork folder, scan to USB, save to device	
Scan Size	ADF: 11.7 x 17 in Maximum; 5.	8 x 2.7 in Minimum; Flatbed: 11.7 x 17 in	
Scan Speed	Up to 70 ppm (b&w), up to 68 ppm (colo	r) Duplex: Up to 85 ipm (b&w), up to 63 ipm (color)	
Scanner Advanced Features	Optimize text/picture; Image adjustments; Job build; Output quality setting; Selectable scan resolution 75 to 60	O dpi; Auto detect color; Edge erase; Auto tone; Auto job notification; Blank page suppression; Auto orientation; Auto pag	
Jeanner Advanced Leatures		; HP Quick Sets	
Bit depth / Grayscale levels		24-bit / 256	
Digital Sending Standard Features		Send to FTP; Send to LAN Fax; Send to Internet Fax; OCR; Local Address Book; SMTP over SSL	
Copy Speed	Black (letter): Up to 45 cpm; Color (letter): Up to 45 cpm²		
Copy Resolution	Black (text and Graphics): Up to 600 x 600 dpi; Color (text and Graphics): Up to 600 x 600 dpi		
Maximum Number of Copies	Up to 9999 copies		
Copier Resize	25 to 400%		
Copier Settings	Sides; Collate; Paper Selection; Color/Black; Reduce/Enlarge; Image Adjustment; Content Orientation		
Fax Speed	Sues, Collete, Paper Section, Court Jack, Peoper Jack, August Fanjasment, Content Orientation Up to: 33.6 kbps; Letter: 3 sec per page ²		
Fax Resolution	Black (best): Up to 300 x 300 dpi; Black (standard): 100 x 100 dpi		
rax Resolution		,	
		ss book; LAN/Internet fax; fax number confirmation; Holiday fax schedule	
Fax Smart Software Features Fax Features		ax Delayed Sending: No; Distinctive Ring Detection Supported: Yes; Fax Forwarding Supported: Yes; Fax Phone TAI	
rax reatures		ported: Yes, as blocked fax numbers; Maximum Speed Dialing Numbers: Up to 100 (each can contain 100 numbers); P eval Capability Supported: No; Telephone Handset Supported: No	
Standard Connectivity			
		T Network; 1 Foreign Interface; 1 Hardware Integration Pocket (HIP); 2 Internal USB Host; 1 Fax	
Network Capabilities	res, via HP Jetuirect Ethernet embeuded print server (standard) which supports: Tobase-1, Tobbase-1x, Tobobase	2-T. Ves, via HP Jetdirect Ethernet embedded print server (standard) which supports: 10Base-T, 100Base-Tx, 1000Base-Tal); 802.3az (EEE) support on Fast Ethernet and Gig Links; IPsec (standard); 802.11b/g/n wireless networking (optional)	
	Touch to Print and Wireless Direct (optional). Please note: HP Jetdirect 2800W (J8029A) and HP Jetdirect 2700W	Please note: HP Jetdirect 2800W (J8029A) and HP Jetdirect 2700W (J8026A) accessories cannot be installed at the	
	(J8026A) accessories cannot be installed at the same time.	same time.	
Network Ready	Standard (built-in Gigabit Ethernet)	Standard (built-in Gigabit Ethernet); Included Touch to Print and Wireless Direct	
Wireless Capability	Optional, enabled with purchase of a hardware accessory	Yes, NFC/Wireless	
		oile Apps; HP Wireless Direct printing (optional) ⁴	
Mobile Printing Capability			
Memory/Processor Speed	Standard: 2.5 GB (System memor	y); Maximum: 2.5 GB (system memory) / 800 MH	
Duty Cycle	Monthly, letter: Up to 200,000 pages (print) ⁵ ; Recommended N	4onthly Page Volume: 5000 to 25,000 (print); 26,750 to 44,600 (scan)	
Paper Handling	tray, 2000-sheet input tray; Up to 4100 sheets (75 g/m² media) standard; Up to 10 envelopes; Output C	emedia) standard; Up to 10 envelopes; D7P71A: 100-sheet multipurpose tray, 500-sheet input tray, 1500-sheet input (Capacities: 500-sheet face-down bin; Up to 500 sheets (75 g/m² media) standard; Duplex Options: Automatic	
	glossy paper, glossy film, photo media, tough paper, envelopes; Media Welght Supported: Tray 1, 2: 16 to 58 l 8.5 x 13, 12 x 18, Statement, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, 3 x 5 index card, 5 revelopes: ** Executive, Ledger (11 x 17), 8.5 x 13, 12 x 18; D7P714: Tray 1: Letter, Letter-R, Legal, Executive, 11 x 17, 8.	Standard Paper Trays: 5 (A2W75A); 4 (07P71A); Media Types Supported: Cut sheet paper, labels, transparencies, b; Tray 3, 4: 16 to 32 lb; Media Sizes Supported: A2W75A: Tray 1: Letter, Letter-R, Legal, Executive, Ledger (11 x 17), a; #10, Monarch; Tray 2: Letter, Letter-R, Legal, Executive, Ledger (11 x 17), 8.5 x 13; Trays 3+: Letter, Letter-R, Legal, 5 x 13, 12x18, Statement, 4 x 6 index card, 5 x 7 index card, 5 x 8 index card, 3 x 5 index card, 5 x 6 index card, 5 x 7 index card, 5 x 8 index card, 3 x 5 index card, 5 x 7 index card, 5 x 8 index card, 3 x 5 index card, 5 x 8 index card, 5 x 7 index card, 5 x 8 inde	
Product Dimensions		zes Custom: Tray 1: 3 x 5 to 12.6 x 18 in; Tray 2: 5.8: x 8.3 to 11.7 x 17 in; Trays 3-5: 5.8 x 8.3 to 12.6 x 18 in in; Maximum: 39.4 x 31.5 x 47.2 in	
Product Weight	332 lb	337 lb	
What's in the box		Magenta, and Yellow HP Color LaserJet Toner Cartridges; CD with software drivers and documentation; Documentation	
what s in the box	(Hardware Install Guide); power cord; HP Jetdirect Gigabit Ethernet Print Server (embedded); 100-sheet multip		
		t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit	
Warranty Features			
Warranty Features Energy Efficiency Compliance	One-year, next-bus	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit	
Energy Efficiency Compliance	One-year, next-bus ENERGY STAR ⁴	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iness day, onsite warranty	
Energy Efficiency Compliance Control Panel	One-year, next-bus ENERGY STAR* 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iness day, onsite warranty [®] qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket	
Energy Efficiency Compliance Control Panel Display Description	One-year, next-bus ENERGY STAR ⁴ 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 × 600 dpi resolution capacitive-tou	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iness day, onsite warranty requalified; Blue Angel (Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard	
Energy Efficiency Compliance Control Panel Display Description Software Included	One-year, next-bus ENERGY STAR [®] 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tour HP PCL 6 Discrete Printer Driver; Mac SV	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iness day, onsite warranty qualified; Blue Angel (Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard W Link to Web (Mac Installer); Windows Installer	
Energy Efficiency Compliance Control Panel Display Description	One-year, next-bus ENERGY STAR* 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Eurc	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iness day, onsite warranty all qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard I link to Web (Mac Installer); Windows Installer symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria)	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces	One-year, next-bus ENERGY STAR* 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Eurc additional font solutions available via third-party flash memory cards	t (D7P71A); Fax Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts	
Energy Efficiency Compliance Control Panel Display Description Software Included	One-year, next-bus ENERGY STAR [®] 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touch HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows Vista (32-bit/64-bit)	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard W Link to Web (Mac Installer); Windows Installer symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) ; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit),	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces	One-year, next-bus ENERGY STAR* 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver, Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Svata (32-bit/64-bit), Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iness day, onsite warranty qualified; Blue Angel (apacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) ; HP Laser/let Fonts and IPDS Emulation available at hp.com/go/laser/jetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), , 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356)	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces	One-year, next-bus ENERGY STAR* 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Eura additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64- Mindows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.cc	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iness day, onsite warranty qualified; Blue Angel (apacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) ; HP Laser/let Fonts and IPDS Emulation available at hp.com/go/laser/jetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), , 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht/4356)	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems	One-year, next-bus ENERGY STAR ¹ 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touc HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Eura additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit) Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6, 8, Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/gs/p/print); UNIX (hp.com/go/unix	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty **qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard W Link to Web (Mac Installer); Windows Installer symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); t; Pl LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 m/go/eprintsoftware); Linx (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Prin t); UNIX JetDirect (hp.com/go/jetdirectunix_software) ⁶	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating	One-year, next-bus ENERGY STAR [®] 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver, Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Server 2003 R2 (64-bit), Windows Server 2003 SP1 or higher) (32-bit/64-bit), Windows 10 (32-bit/64-bit), Windows Server 2003 R2 (64-bit), Windows Server 20	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iniess day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) ; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1,107.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 m/go/eprintsoftware); Linux (highpi.net); Novel(inovell.com/inpinit); SAP device types (hp.com/go/sap/drivers); SAP Print SAP Print (SAP Print (SAP))	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems	One-year, next-bus ENERGY STAR ¹ 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Mindows Vista (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/µpd); HP ePrint Software Driver (hp.com/go/µpd); HP ePrint Software Driver (hp.com/go/po/sap/print); UNIX (hp.com/go/inx) Windows 8.1 (32-bit/64-bit); Windows 8 Basic (32-bit/64-bit); Windows 8 Pro (32-bit/64-bit); Windows Server (30); Windows Server 2008 (SP1); Windows Server Server 2008 (SP1); Windows Server Server 2008 (SP1); Windows Ser	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iness day, onsite warranty **qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard **W Link to Web (Mac Installer); Windows Installer symbol built-in); 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria; the LaserJef Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (supportapple.com/kb/ht4356 m/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Prin ty, UNIX JetDirect (hp.com/go/jetdirectunix_software)* terprise (32-bit/64-bit); Windows 8 Enterprise N (32-bit/64-bit); Windows 8 Enterprise RT (32-bit only); Windows 7 Litherprise Edition); Windows Server 2008 (32-bit/64-bit) (SP1); Windows Server 2018 (32-bit/64-bit); Windo	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating	One-year, next-bus ENERGY STAR* 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Sterver 2003 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.cc (hp.com/go/sap/print); UNIX (hp.com/go/unix) Windows 8.1 (32-bit/64-bit); Windows 8 Basic (32-bit/64-bit); Windows 8 Pro (32-bit/64-bit/64-bit/64-bit/64-bit/64-bit/64-bit/64-bit/64-bit/64-bit/64-bit/64-bit/64-bit/64-bit/64-bit/64-bit/64	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) HP Laser-let Fonts and IPDS Emulation available at hp.com/go/laser-jetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1, 0.7.5. Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support apple.com/bl/bht4356 com/go/eprintsoftware); Linux (hplip.net); Novell (novelt.com/pinit); SAP device types (hp.com/go/sap/drivers); SAP Prin therprise (32-bit/64-bit); Windows 8 Enterprise (32-bit/64-bit); Windows 8 Enterprise (32-bit/64-bit); Windows Server 2012 (No Software) violity, Windows XP (SP2 or higher) (32-bit/64-bit); Windows Server 2012 (Ro Software Installer (Enterprise Edition); Windows Server 2008 (32-bit/64-bit); Windows Server 2012 (No Software Installer (Enterprise Edition); Windows Server 2008 (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); Windows Server 2003 (Standard Edition);	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating	One-year, next-bus ENERGY STAR ¹ 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touchscreen; rotating (adjustable angle) display, illuminated HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Pottscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2008 (SP or higher) (32-bit/64-bit), Windows Vista (32-bit/64-bit), Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/pg/; HP ePrint Software Driver for home of the properties of th	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iness day, onsite warranty qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer symbol built-in); I thernal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria; the LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (R9, com/go/aprintsoftware); Linux (highpiner); Novell (novell.com/print); SAP device types (hp.com/go/sap/drivers); SAP Print ty; UNIX JetDirect (hp.com/go/jetdirectunix_software) ⁶ terprise (32-bit/64-bit); Windows 8 Enterprise N (32-bit/64-bit); Windows 8 Enterprise RT (32-bit only); Windows 7 (22-bit/64-bit); Windows Server 2012 R2; Windows Server 2013 (Sandard Edition); (Enterprise Edition); Windows Server 2008 (32-bit/64-bit) (SP1); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2008 (32-bit/64-bit) (SP3); W	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating	One-year, next-bus ENERGY STAR ^{II} 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2003 RP1 or higher) (32-bit/64-bit), Wendows Vista (32-bit/64-bit), Windows Server 2003 RP1 or higher) (32-bit/64-bit), Windows Server 2003 RP1 or higher) (32-bit/64-bit), Windows Server Server 2003 Server 2004 Server 2004 Server 2004 Server 2004 Server 2005 Server 2006 Server 2006 Server 2004 Stardaws Server W Windows Server 2003 Server 2003 Server 2003 Server 2003 Server 2003 Server 2004 Server Server W Windows Server W Windows Server 2003 Server Server Server W Windows Server W Windows Server 2003 Server 2003 Server 2003 Server 2003 Server Ser	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty *qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Window Installer v Symbol bull: Inn); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); the Laser Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1, 0.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 com/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/print); SAP device types (hp.com/go/sap/drivers); SAP Prin v), UNIX JetDirect (hp.com/go/jetdirectunix_software); terprise (32-bit/64-bit); Windows 8 Enterprise N (32-bit/64-bit); Windows 8 Enterprise RT (32-bit only); Windows 7 zit); Windows XP (SP2 or higher) (32-bit/64-bit); Windows Server 2012 (R2; Windows 5erver 2012 (No Software Installer (Enterprise Edition); Windows Server 2008 Server Terminal Services with Citrix XenApp; Windows Server 2003 (Standard Edition); **Entif Abit Standard Edition; Windows Server 2003 Server Terminal Services with Citrix XenApp; Windows Server 2003 Standard Edition); **Entif Abit Standard Edition; Windows Server 2003 Server Terminal Services with Citrix XenApp; Windows Server 2003 Standard Edition); **Entif Abit Standard Edition; Windows Server 2003 Server Terminal Services with Citrix XenApp; Windows Server 2003 Standard Edition); **Entif Abit Standard Edition; Windows Server 2003 Server Terminal Services with Citrix XenApp; Windows Server 2003 Server 2003 Server Terminal Services With Citrix XenApp; Windows Server 2003 Server Terminal Services with Citrix XenApp; Windows Server 2003 Server Terminal Services with Citrix XenApp; Windows Server 2003 Server Termin	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating	One-year, next-bus ENERGY STAR* 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touch HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Potts Script level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Window S Graver 100; Citrix and Windows Terminal Services (hp.com/go/pd); HP ePrint Software Driver (hp.com/go/sap/print); UNIX (hp.com/go/unix Windows 8.1 (32-bit/64-bit); Windows 8 Basic (32-bit/64-bit); Windows 8 Pro (32-bit/64-bit); Windows 8.6 Pro (32-bit/64-bit) (Including Starter Edition); Windows Sixta (32-bit/64-bit) (Starter Edition); Windows Server 2008 (Standard Edition); Windows Server 2008 Server 2008 R2 (32-bit/64-bit) (Standard Edition, Enterprise Edition); Windows Server 2003 (32-bit/64-bit) (ST); Windows Server 2003 (32-bit/64-	t (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iness day, onsite warranty "qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer symbol built-in); I thernal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); the Laser Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356) m/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/print); SAP device types (hp.com/go/sap/drivers); SAP Print ty, UNIX JetDirect (hp.com/go/jetdirectunix_software) ⁶ terprise (32-bit/64-bit); Windows 8 Enterprise N (32-bit/64-bit); Windows 8 Enterprise RT (32-bit only); Windows 7 (1); Windows Server 2012 (R) Software Installer (Enterprise Edition); Windows Server 2008 (32-bit/64-bit) (SP1); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2008	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating	One-year, next-bus ENERGY STAR ^{II} 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.co (hp.com/go/sap/print); UNIX (hp.com/go/sap/ (hp.com/go/sap/print); UNIX (hp.com/go/sap/ Support); Windows Server (PSI); Windows Server 2008 (Server 2008 Server 2003 (Server Services With Citrix Presentation Server 45, Novell NetWare 6; Novell NetWare S. (Sex Binimum for Windows Server with Citrix Presentation Server 45, Novell NetWare 6; Novell NetWare 65, SEP8 minimum for Windows Stat and Windows 7, (x86 and x66); Novell IPrint Support Only; Novel Open Enterprise Server 5	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) t; HP Laser/let Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/hrd.356) bit), LVINIX JetDirect (hp.com/go/fetdirectunix_software) ⁶ in terprise (32-bit/64-bit); Windows 8 Enterprise N (32-bit/64-bit); Windows 8 Enterprise RT (32-bit only); Windows 7 vib; Windows XP (SP2 or higher) (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); Windows Server 2003 (32-bit/64-bit); Windows Server 20	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating	One-year, next-bus ENERGY STAR* 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver, Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Windows Server 2003 (32-bit/64-bit); Windows Server 30-bit/64-bit); Windows 8.1 (32-bit/64-bit); Windows 8.1 (32-bit/64-bit); Windows 8.1 (32-bit/64-bit); Windows 8.1 (32-bit/64-bit); Windows 8.2 (32-bit/64-bit); Windows 8.2 (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); Cylindows 8.2 (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); Cylindows 8.2 (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); Cylindows Server 2008 (32-bit/64-bit	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard W Link to Web (Mac Installer); Windows Installer symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); the Laser Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (82-bit/64-bit), Cynolygo/genistorkaree); Linux (higher pits), Vindows (1), Vindows	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating	One-year, next-bus ENERGY STAR* 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver, Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Windows Server 2003 (32-bit/64-bit); Windows Server 30-bit/64-bit); Windows 8.1 (32-bit/64-bit); Windows 8.1 (32-bit/64-bit); Windows 8.1 (32-bit/64-bit); Windows 8.1 (32-bit/64-bit); Windows 8.2 (32-bit/64-bit); Windows 8.2 (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); Cylindows 8.2 (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); Cylindows 8.2 (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); Cylindows Server 2008 (32-bit/64-bit	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) ; HP Laser-Jet Fonts and IPDS Emulation available at hp.com/go/laser-jetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1, 0.7.5. Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 sun/go/eprintsoftware); Linux (hplip.net); Novelt (novelt.com/fprint); SAP device types (hp.com/go/sap/drivers); SAP Print); UNIX JetDirect (hp.com/go/jetdirectunix_software)* (Enterprise (32-bit/64-bit); Windows Server 2012 (R2-bit/64-bit); Windows Server 2012 (No Software Installer (Enterprise Edition); Windows Server 2008 (32-bit/64-bit); Windows Server 2012 (R2-bit/64-bit) (SP2); Windows Server 2003 (Standard Edition); Vindows Server 2003 (Standard Edition); Lettic XenApp, Windows Server 2003 (Standard Edition); -bit/64-bit) (SP2); Windows Server 2003 (Standard Edition); Cettic XenApp, Windows Server 2003 (Standard Edition); -bit/64-bit) (SP2); Windows Server 2003 (Standard Edition); Windows Server 2003 (Standard Edition); Windows Server 2003 Strever terminal Services with Critix Presentations Fover 40; Windows Server 2003 Strever terminal Services with Critix Presentations Fover 40; Orthodows Server 2003 Strever terminal Services with Critix Presentations Fover 40; Orthodows Server 2003 Strever terminal Services with Critix Presentations Fover 40; Orthodows Server 2003 Strever terminal Services with Critix Presentations Fover 40; Orthodows Server 2003 Strever terminal Services with Critix Presentations or Server 40; Orthodows Server 2003 Strever 10; Or	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating	One-year, next-bus ENERGY STAR [®] 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touch HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Post script level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Mindows 7 (32-bit/64-bit), Mindows 7 (32-bit/64-bit), Mindows 10 (34-bit), Mindows 10 (34-bit), Mindows 10 (34-bit), Mindows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.cot (hp.com/go/sap/print); UNIX (hp.com/go/in); Windows Server 2008 R2 (32-bit/64-bit); Windows 8 Basic (32-bit/64-bit); Windows Server 2008 (Server 2008 Server 303 (32-bit/64-bit) (STandard Edition), Enterprise Edition); Windows Server 2008 Server Reminal Services with Citrix Presentation Server As; Novell NetWare 6, Novell MetWare 6.5 (SPB minimum fo Windows Stat and Windows 7, (x86 and x6f), Novell (Print Support Only, Novell Open Enterprise Server to the Metaframe Server; Red Hat Linux 7.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher (SPARC systems only); SuSe Linux 8.x or higher; Solaris 2.5 or higher (SPARC systems only); SuSe Linux 8.x or higher (SPARC syste	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard W Link to Web (Mac Installer); Windows Installer symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); the Laser Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1, 10.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (82-bit/64-bit), Cynolygo/genistorkaree); Linux (higher pits), Vindows (1), Vindows	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems	One-year, next-bus ENERGY STAR ¹ 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touchscreen; rotating (adjustable angle) display; illuminated HP PCL 6 Discrete Printer Driver; Mac SV HINDOWS 7 (32-bit/64-bit), Windows S (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows SV (32-bit/64-bit), Windows	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty *qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard W Link to Web (Mac Installer); Windows Installer symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) t; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1,107.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 bit), LVINIX JetDirect (hp.com/go/jetdirectunix_software) 1,101.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 bit), LVINIX JetDirect (hp.com/go/jetdirectunix_software) 1,101.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 bit), LVINIX JetDirect (hp.com/go/jetdirectunix_software) 1,101.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 titerprise (32-bit/64-bit), Windows 8 Enterprise N (32-bit/64-bit), Windows 8 Enterprise RT (32-bit only); Windows 7 lity; Windows XP (SP2 or higher) (32-bit/64-bit) (SP1); Windows Server 2012 (No Software Installer (Enterprise Edition); Windows Server 2008 (32-bit/64-bit) (SP1); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2008 (32-bit/64-bit) (SP1); Windows Server 2003 (Standard Edition); Windows Server 2003 Server (54-bit) (SP1); Windows Server 2003 (Standard Edition); Windows Server 2003 Server (1 Mill Windows Wista, Windows XP (SP2) in (Mill Windows XP); Windows Windows XP (SP2) in (Mill Windows XP); Windows XP (SP2) in (Mill Windows XP); Windows XP (SP2) in (Mill Windows XP); Windows XP (SP2); CD-ROM or DVD drive, or 1 did ks	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems	One-year, next-bus ENERGY STAR ^{II} 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touchscreen; rotating (adjustable angle) display; illuminated HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (22-bit/64-bit), Windows 7 (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.cof (hp.com/go/sap/print); UNIX (hp.com/go/sap/ (hp.com/go/sap/print); UNIX (hp.com/go/sap/ (hp.com/go/sap/print); UNIX (hp.com/go/sap/ support); Windows Server (P1); Windows Server 2008 Server 2003 (SP1); Windows Server 2003 Server Terminal Services will clittin Presentation Server 45, Novell NetWare 6; Novell NetWare So. [SP8 minimum for Windows Server 2003 (SP); Mac 10.8.x Mac 10.9.x; For Linux OS versions, refer to the Metaframe Servicers, Windows 8, Windows 7, SP1+, Windows Server 2003 (SP2); Novell Open Enterprise Server (CILC (Luster Support); Was and Windows 7, (x86 and x69), Novell (P1) for Support Only; Novell Open Enterprise Server (CILC (Luster Support); Was and Windows Server 2003 (SP1+), Windows Server 2003 (SP1+), Windows Server 2003 (SP1+), Windows Server 2003 (SP1+), Windows Server 2004 (SP1-), Windows Server 2005 (SP1-), Windows Server 2005 (SP1-), Windows Server 2006 (SP1-), Windows Server 2006 (SP1-), Windows Server 2006 (SP1-), Windows Server 2007 (SP1-), Windows Server	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iiness day, onsite warranty *qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard *V Link to Web (Mac Installer); Windows Installer y symbol built-in; 1 internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1, 0.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 cm/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/iprint); SAP device types (hp.com/go/sap/drivers); SAP Prin; UNIX) setDirect (hp.com/go/fetirectunix_software)* In the Star (high Server 2008 (32-bit/64-bit); Windows 8 Enterprise (32-bit/64-bit); Windows Server 2012 (No Software Installer (Enterprise Edition); Windows 5 Printsoft (Enterprise Edition); Windows Server 2008 (32-bit/64-bit); Windows Server 2012 (No Software Installer (Enterprise Edition); Windows Server 2008 (32-bit/64-bit); Windows S	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems	One-year, next-bus ENERGY STAR ^{II} 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touchscreen; rotating (adjustable angle) display; illuminated HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (22-bit/64-bit), Windows 7 (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.cof (hp.com/go/sap/print); UNIX (hp.com/go/sap/ (hp.com/go/sap/print); UNIX (hp.com/go/sap/ (hp.com/go/sap/print); UNIX (hp.com/go/sap/ support); Windows Server (P1); Windows Server 2008 Server 2003 (SP1); Windows Server 2003 Server Terminal Services will clittin Presentation Server 45, Novell NetWare 6; Novell NetWare So. [SP8 minimum for Windows Server 2003 (SP); Mac 10.8.x Mac 10.9.x; For Linux OS versions, refer to the Metaframe Servicers, Windows 8, Windows 7, SP1+, Windows Server 2003 (SP2); Novell Open Enterprise Server (CILC (Luster Support); Was and Windows 7, (x86 and x69), Novell (P1) for Support Only; Novell Open Enterprise Server (CILC (Luster Support); Was and Windows Server 2003 (SP1+), Windows Server 2003 (SP1+), Windows Server 2003 (SP1+), Windows Server 2003 (SP1+), Windows Server 2004 (SP1-), Windows Server 2005 (SP1-), Windows Server 2005 (SP1-), Windows Server 2006 (SP1-), Windows Server 2006 (SP1-), Windows Server 2006 (SP1-), Windows Server 2007 (SP1-), Windows Server	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty *qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard W Link to Web (Mac Installer); Windows Installer symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria) t; HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 1,107.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 bit), LVINIX JetDirect (hp.com/go/jetdirectunix_software) 1,101.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 bit), LVINIX JetDirect (hp.com/go/jetdirectunix_software) 1,101.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 bit), LVINIX JetDirect (hp.com/go/jetdirectunix_software) 1,101.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 titerprise (32-bit/64-bit), Windows 8 Enterprise N (32-bit/64-bit), Windows 8 Enterprise RT (32-bit only); Windows 7 lity; Windows XP (SP2 or higher) (32-bit/64-bit) (SP1); Windows Server 2012 (No Software Installer (Enterprise Edition); Windows Server 2008 (32-bit/64-bit) (SP1); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2008 (32-bit/64-bit) (SP1); Windows Server 2003 (Standard Edition); Windows Server 2003 Server (54-bit) (SP1); Windows Server 2003 (Standard Edition); Windows Server 2003 Server (1 Mill Windows Wista, Windows XP (SP2) in (Mill Windows XP); Windows Windows XP (SP2) in (Mill Windows XP); Windows XP (SP2) in (Mill Windows XP); Windows XP (SP2) in (Mill Windows XP); Windows XP (SP2); CD-ROM or DVD drive, or 1 did ks	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems	One-year, next-bus ENERGY STAR* 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touch HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Pottscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Mindows Vista (32-bit/64-bit), Mac OS X version 10.68, Android (android.com/); Citrix and Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.68, Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/pdp; HP ePrint Software Driver (flp.co (hp.com/go/sap/print); UNIX (hp.com/go/unix Windows 5.1 (32-bit/64-bit); Windows 8 Basic (32-bit/64-bit); Windows 8 Pro (32-bit/64-bit); Windows 6 En (32-bit/64-bit) (Including Starter Edition); Windows Server 2008 (Standard Edition); Windows Server 2008 (Standard Edition); Windows Server 2008 Reserver 2008 Reserver 2008 Reserver 2008 Reserver 2009 (Enterprise Edition); Windows Server 2008 Reserver 2009 Re	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iiness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard *V Link to Web (Mac Installer); Windows Installer *Joymoblo built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); HP Laser/Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit); 1,0.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 m/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/print); SAP device types (hp.com/go/sap/drivers); SAP Print;); UNIX JetDirect (hp.com/go/fetdirectunix_software)* (Enterprise 23-bit/64-bit); Windows Server 2012 (AS-bit/64-bit); Windows Server 2012 (RS-bit/64-bit) (SP2); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2003 (Standard Edition); *bit/64-bit) (SP2); Windows Server 2003 RS (32-bit/64-bit) (SP1); Windows Server 2003 (Standard Edition); *bit/64-bit) (SP2); Windows Server 2003 RS (32-bit/64-bit) (SP7); Windows Server 2003 (Standard Edition); *bit/64-bit) (SP2); Windows Server 2003 RS (SP2); (SP7); Windows SP2); Novell (Print Client VS-4 for Windows XP, SP2); Or higher, MPE-1X; Cirix (pher. (For Microsoft IPv6 compatibility use Windows 2003, Windows XP Home, Windows XP (SP2+); CD-ROM or DVD drive, or did kespace, Operating System compatible hardware system requirements see atppl.com)	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems Minimum System Requirements	One-year, next-bus ENERGY STAR [®] 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touchscreen; rotating (adjustable angle) display; illuminated HP PCL 6 Discrete Printer Driver; Mac SV Undows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Steries and Stable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows Server 2008 R2 (64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Strete 2030 (32-bit/64-bit), Windows Ostware Driver (hp.cc (hp.com/go/sap/print), UNIX (hp.com/go/unix) Windows S.1 (32-bit/64-bit), Windows Basic (32-bit/64-bit), Windows B Pro (32-bit/64-bit), Windows Server 2008 Windows Server 2008 (25-bit/64-bit), Windows Server 2008 Server 2003 (32-bit/64-bit) Services (2001 (32-bit/64-bit) (Standard Edition), Windows Server 2008 Server 2008 Server 2008 Server 2003 (32-bit/64-bit) (STandard Edition), Windows Server 2008 Server 2008 Server 2008 Server 2008 Server 2003 (32-bit/64-bit) (STandard Edition), Server 2008 Server 2008 Server 2008 Server 2008 Server 2003 (32-bit/64-bit) (STandard Edition), Server 2008 S	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iiness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard *V Link to Web (Mac Installer); Windows Installer *Joymoblo built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); HP Laser/Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit); 1,0.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 m/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/print); SAP device types (hp.com/go/sap/drivers); SAP Print;); UNIX JetDirect (hp.com/go/fetdirectunix_software)* (Enterprise 23-bit/64-bit); Windows Server 2012 (AS-bit/64-bit); Windows Server 2012 (RS-bit/64-bit) (SP2); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2008 (32-bit/64-bit) (SP2); Windows Server 2003 (Standard Edition); *bit/64-bit) (SP2); Windows Server 2003 RS (32-bit/64-bit) (SP1); Windows Server 2003 (Standard Edition); *bit/64-bit) (SP2); Windows Server 2003 RS (32-bit/64-bit) (SP7); Windows Server 2003 (Standard Edition); *bit/64-bit) (SP2); Windows Server 2003 RS (SP2); (SP7); Windows SP2); Novell (Print Client VS-4 for Windows XP, SP2); Or higher, MPE-1X; Cirix (pher. (For Microsoft IPv6 compatibility use Windows 2003, Windows XP Home, Windows XP (SP2+); CD-ROM or DVD drive, or did kespace, Operating System compatible hardware system requirements see atppl.com)	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems Minimum System Requirements	One-year, next-bus ENERGY STAR ¹ 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-tou HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Pottscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Star (32-bit/64-bit), Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/pd); HP ePrint Software Driver (hp.com/go/fap/print), UNIX (hp.com/go/funix Windows Server 2008; Enter Edition); Windows Server 2008 (Standard Edition); Windows Server 2008 Server 2008 R2 (32-bit/64-bit) (Standard Edition); Enterprise Edition); Windows Server 2008 Server 2008 Server 2008 Server 2003 (32-bit/64-bit) (STandard Edition); Enterprise Edition); Windows Server 2008 Server 2003 (32-bit/64-bit) (STandard Edition); Enterprise Edition); Windows Server 2008 Server 2003 (32-bit/64-bit) (STandard Edition); Windows Server 2008 Server Rominal Services; Windows Server 2003 (32-bit/64-bit) (SP1); Windows Server	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 10.7.5. Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support, apple.com/kb/ht4356); Jun (3. Lion. For the latest operating system support see: Air Print (support, apple.com/kb/ht4356); windows Server 2008 (32-bit/64-bit); Windows Server 2008 (32-bit/64-bit); UnIX JetDirect (Inp.com/go/jetdirectunix_software): Linux (hplip.net); Novell (novell.com/print); SAP device types (hp.com/go/sap/drivers); SAP Print (32-bit/64-bit); Windows Server 2008 (32-	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems Minimum System Requirements Power Acoustics	One-year, next-bus ENERGY STAR ^{II} 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touch HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/upd); HP ePrint Software Driver (hp.co (hp.com/go/sap/print); UNIX (hp.com/go/sap/print); UNIX (hp.com/go	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iiness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard *V Link to Web (Mac Installer); Windows Installer y symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); HP LaserJet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit); J. 0.7.5 Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support apple.com/kb/hd356); and (3-bit/64-bit). Horling of the promygo/go/go/go/go/go/go/go/go/go/go/go/go/g	
Energy Efficiency Compilance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems Minimum System Requirements	One-year, next-bus ENERGY STAR* 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touch HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Pottscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Mindows Vista (32-bit/64-bit), Mindows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mindows Of Sx version 10.6.8 Android (android.com/); Citrix and Windows Terminal Services (hp.com/go/upi; HP ePrint Software Driver More) Windows 8.1 (32-bit/64-bit), Windows 8 Basic (32-bit/64-bit), Windows 8 Pro (32-bit/64-bit), Windows Server 2008 (Standard Edition), Windows Server 2003 (32-bit/64-bit) (SP1); Windows SP	tionPort JAI; Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard *V Link to Web (Mac Installer); Windows Installer *Joymbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); HP Laser/Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit); Joyn/Jet Direct (hp.com/go/sap/drivers); SAP Print (31-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit); JUNIX JetDirect (hp.com/go/fadirectunix_software)* i); UNIX JetDirect (hp.com/go/fedirectunix_software)* ii); UNIX JetDirect (hp.com/go/fedirectunix_software)* iii); Windows XP (SP2 or higher) (32-bit/64-bit); Windows Server 2012 (R2; Windows Server 2012 (No Software Installer (Enterprise Edition); Windows Server 2008 (32-bit/64-bit); Vinix Windows Server 2003 (Standard Edition); Windows Server 2003 (Standard Edition); Windows Server 2003 Standard Editi	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems Minimum System Requirements Power Acoustics Operating Environment	One-year, next-bus ENERGY STAR [®] 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touchscreen; rotating (adjustable angle) display; illuminated HP PCL 6 Discrete Printer Driver; Mac SV HP PCL 6 Discrete Printer Driver; Mac SV HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Postscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Stever 2003 (SP1 or higher) (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows GS X (42-bit/44-bit), Windows Server 2003 (32-bit/64-bit), Windows Stever 2003 (32-bit/64-bit), Windows Server Printer Strater Edition); Windows Server 2003 (32-bit/64-bit), Windows Server 2003 (32-bit/64-bit), Windows Server 2003 (32-bit/64-bit), Windows Server 2008 Server 2003 (32-bit/64-bit) (Standard Edition), Windows Server 2008 Server 2008 Server 2003 (32-bit/64-bit) (Standard Edition), Windows Server 2008 Server 2003 (32-bit/64-bit) (Standard Edition), Server 2003 (32-bit/64-bit) (SP1); Windows Server 2003 (32-bit/64-bit	ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit iiness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer D symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria; HP LaserJet Fonts and IPOS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit), 10.7.5. Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Servers 2012 (64-bit), Windows Server 2012 (85-bit/64-bit), 20.10, 10.7.5. Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 bit), Windows KP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (87-bit/64-bit), Windows Server 2012 (87-bit/64-bit), Windows Server 2012 (87-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (87-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (87-bit/64-bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (87-bit/64-bit), Windows Server 2012 (87-bit/64-bit), Windows Server 2012 (87-bit/64-bit), Windows XP (SP2 bit/64-bit), Windows Server 2003 (87-bit/64-bit), Windows Server 2003 (8	
Energy Efficiency Compilance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems Minimum System Requirements Power Acoustics	One-year, next-bus ENERGY STAR [®] 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8"SVGA 800 x 600 dpi resolution capacitive-tour HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Pottscript level 3 emulation (Euro additional font solutions available wit bird-party flash memory card Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64- Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Windows Vista (32-bit/64- Windows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Windows Vista (32-bit/64- Windows 8.1 (32-bit/64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Windows Vista (64- Windows 8.1 (32-bit/64-bit), Windows Server 2003 (Sp1-bit/64-bit), Windows Server (ftp.ccm/go/sap/print); WiNK (hp.ccm/go/unix Windows 8.1 (32-bit/64-bit), Windows Server 2003 (32-bit/64-bit) (Including Starter Edition), Windows Server 2008 (Standard Edition), Windows Server 2008 Server 2008 Server 2008 R2 (32-bit/64-bit) (Standard Edition, Enterprise Edition), Windows Server 2008 Server 2008 Server 2008 Server 2008 R2 (32-bit/64-bit) (Standard Edition, Enterprise Edition), Windows Server 2008 Server 2003 (32-bit/64-bit) (Standard Edition, Enterprise Edition), Windows Server 2003 (Standard Edition), Windows Server 2003 (Standard Edition), Windows Server 2003 (ti (D7P71A); Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard *V Link to Web (Mac Installer); Windows Installer *y promotion built-in; I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); yormbol built-in; I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); 1,0.7.5. Lion, 10.8 Mountain Lion. For the latest operating systems support see: Air Print (support-tapple.com/kb/f14356; bit), Windows Server 2010; 10.8 Mountain Lion. For the latest operating system support see: Air Print (support-tapple.com/kb/f14356; born/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/print); SAP device types (hp.com/go/sap/drivers); SAP Print; UNIX JetDirect (hp.com/go/fsap/drivers); SAP Print; UNIX JetDirect (hp.com/go/fsap/drivers); SAP Print; Windows SAP (SP2 or higher) (32-bit/64-bit); Windows Server 2012; R2; Windows Server 2012; (No Software Installer; (Enterprise Edition); Windows Server 2008; (32-bit/64-bit); Windows Server 2008; (32-bit/64-bit); Windows SAP (SP2); Windows Server 2008; (32-bit/64-bit); Windows SAP; (32-bit/64-bit); Win	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems Minimum System Requirements Power Acoustics Operating Environment	One-year, next-bus ENERGY STAR [®] 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display, illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touch HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PCL 6 Discrete Printer Driver; Mac SV windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows 7 (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2008 (25-bit/64-bit), Windows Server 2008 (25-bit/64-bit), Windows Server 2003 (3P) or higher) (32-bit/64-bit), Windows Vista (32-bit/64-bit), Windows Server 2003 (3P) or higher) (32-bit/64-bit), Windows Server 2003 (3P) or higher) (32-bit/64-bit), Windows Server (4p,com/go/go/sap/print); UNIX (hp.com/go/unix Windows 8.1 (32-bit/64-bit), Windows Server (200, 25-bit/64-bit), Windows 8 Pro (32-bit/64-bit), Windows 8 Bro (32-bit/64-bit), Windows Server 2003 (32-bit/64-bit), Windows Server 2008 (44-support); Windows Server 2008 (52-bit/64-bit), Windows Server 2008 (44-support); Windows Server 2008 (52-bit/64-bit), Windows Server 2008 (44-support); Windows Server 2008 (52-bit/64-bit), Windows	tionPort JAI; Fax; Fax cable; D7P71A: NFC/direct print kit inness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard *V Link to Web (Mac Installer); Windows Installer *Joymbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria); HP Laser/Jet Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit); Joyn/Jet Direct (hp.com/go/sap/drivers); SAP Print (31-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit); JUNIX JetDirect (hp.com/go/fadirectunix_software)* i); UNIX JetDirect (hp.com/go/fedirectunix_software)* ii); UNIX JetDirect (hp.com/go/fedirectunix_software)* iii); Windows XP (SP2 or higher) (32-bit/64-bit); Windows Server 2012 (R2; Windows Server 2012 (No Software Installer (Enterprise Edition); Windows Server 2008 (32-bit/64-bit); Vinix Windows Server 2003 (Standard Edition); Windows Server 2003 (Standard Edition); Windows Server 2003 Standard Editi	
Energy Efficiency Compliance Control Panel Display Description Software Included Fonts and Typefaces Compatible Operating Systems Compatible Network Operating Systems Minimum System Requirements Power Acoustics Operating Environment	One-year, next-bus ENERGY STAR [®] 8.0-in (20.3 cm) color LCD with Capacitive touchscreen; rotating (adjustable angle) display; illuminated 8" SVGA 800 x 600 dpi resolution capacitive-touch HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP PCL 6 Discrete Printer Driver; Mac SV 105 internal TrueType fonts scalable in HP PCL, 92 internal scalable fonts in HP Pottscript level 3 emulation (Euro additional font solutions available via third-party flash memory cards Windows 10 (32-bit/64-bit), Windows 8 (32-bit/64-bit), Mindows 7 (32-bit/64-bit), Mindows Star (32-bit/64-bit), Mindows Star (32-bit/64-bit), Mindows Server 2008 R2 (64-bit), Windows Server 2003 (SP1 or higher) (32-bit/64-bit), Mac OS X version 10.6.8 Android (android.com); Citrix and Windows Terminal Services (hp.com/go/sap/print), UNIX (hp.com/go/sap/print),	tionP71A); Fax; Fax cable; D7P71A: NFC/direct print kit iiness day, onsite warranty * qualified; Blue Angel Capacitive Home button (for quick return to the Home menu); Easy Access USB; Hardware Integration Pocket ch display with gesture support and extended keyboard V Link to Web (Mac Installer); Windows Installer symbol built-in); I internal Unicode Fonts (Andale Mono WorldType); 2 Internal Windows Vista 8 Fonts (Calibri, Cambria; HP Laser/let Fonts and IPDS Emulation available at hp.com/go/laserjetfonts bit), Windows XP (SP2 or higher) (32-bit/64-bit), Windows Server 2012 (64-bit), Windows Server 2008 (32-bit/64-bit); 1, 10.7.5. Lion, 10.8 Mountain Lion. For the latest operating system support see: Air Print (support.apple.com/kb/ht4356 cm/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/pinit); SAP device types (hp.com/go/sap/drivers); SAP Print (support.apple.com/kb/ht4356 cm/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/pinit); SAP device types (hp.com/go/sap/drivers); SAP Print (support.apple.com/kb/ht4356 cm/go/eprintsoftware); Linux (hplip.net); Novell (novell.com/pinit); SAP device types (hp.com/go/sap/drivers); SAP Print (support.apple.com/kb/ht4356 cm/go/eprintsoftware); Linux (hplip.net); Novell Area (hold); Windows 8 Enterprise Calibron); Windows 7 (32-bit/64-bit); Windows Server 2012 (Rs) Software Installer (Enterprise Edition); Windows Server 2008 (32-bit/64-bit); Windows Server 2003 Strandard Edition); Windows Server 2003 Strandard Edition); Windows Server 2003 Strandard Edition); Windows Server 2003 Strandard Edition; Windows Server 2003 Strandard Edition; Windows Server 2003 Strandard Edition); Windows Server 2003 Strandard Edition; Windows Server 2003 Strandard Edition; Windows Server 2003 Strandard Edition; Windows Server 2003 Strandard Edition); Windows Server 2003 Strandard Edition; Windows Server 2003 Strandard Editio	

1 Measured using ISO/IEC 24734, excludes first set of test documents. For more information see hp. com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. 2 First Copy Out and Copy Speed measured using ISO/IEC 29183, excludes first set of test documents. For more information see hp_com/go/printercialims. Exact speed varies depending on the system configuration, software application, driver, and document complexity. Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for V.34 and 6 sec/page for V.17 ⁴HP ePrint: Requires an Internet connection to the printer. Feature works with any connected Internet- and e-mail-capable device. Requires HP Web Services Account Registration. Print times may vary. For a list of supported documents, and image types, see hp_com/go/eprintcenter. HP Wireless Direct printing: Requires purchase of optional HP Jetdirect 2800w USB Wireless Print Server J80:29A HIP accessory, Apple AirPrint[®]. Supports the following devices running IOS 4.2 or later: iPad®, iPad® 2, iPhone® (3GS or later), iPod touch® (3rd generation or later). Works with HP's AirPrint[®] enabled printers and requires the printer be connected to the same network as your iOS device. Wireless performance is dependent upon physical environment and distance from the access point. AirPrint, the AirPrint thogo, iPad, iPhone, and iPod touch are trademarks of Apple® Inc., registered in the U.S. and other countries. Mobile Apps: For additional solutions, see hp.com/go/mobile-printing-solutions Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP Laser let or HP Color Laser let devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups. Windows Installer has the same Operating System support as the printer driver except the following: Windows XP (SP3 or higher) (32-bit only); Windows Server 2003 (SP2 or higher) (32-bit only); Windows Vista Starter not supported in Driver nor Installer; HP Software Installer CD for Windows - The HP PCL 6 discrete driver and .NET 3.5 SP1 are installed for Windows operating systems along with other optional software. .NET 4.0 is included in Windows 80/Server 2012; HP Software for Mac is no longer included on the CD, but can be downloaded from hp.com - the Mac driver and Mac Utility are installed for Mac operating systems. *Power requirements are based on the country/ region where the printer is sold. Do not convert operating voltages. This will damage the printer and vold the product warranty. 8 Configurations tested included color and mono printing, simplex and duplex printing, and 110 VAC and 220 VAC units at 46 ppm.

© Copyright 2014 - 2016 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein. ENERGY STAR and the ENERGY STAR logo are registered U.S. marks. Windows is a registered trademark of Microsoft Corporation. AirPrint, iPad, iPhone, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries.

